

EU type examination certificate

EU-Baumusterprüfbescheinigung

CE-0085BS0203

Product Identification No.
Produkt-Identnummer

| | |
|---|---|
| Field of Application <i>Anwendungsbereich</i> | EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i> |
| Owner of Certificate <i>Zertifikatinhaber</i> | Ali Group S.r.l. Via Gobetti, 2a, I-20063 Cernusco sul Naviglio (MI) |
| Distributor <i>Vertreiber</i> | MARENO Ali Group S.r.l. Via Conti Agosti, 231/247, I-31010 Mareno Di Piave (TV) |
| Product Category <i>Produktart</i> | Catering appliances: Frying/Grill/Griddle plate (2109) |
| Product Description <i>Produktbezeichnung</i> | Grill/Griddle plate |
| Model <i>Modell</i> | NFT9...; MNFT9... |
| Countries of Destination <i>Bestimmungsländer</i> | AL, AT, BA, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LU, LV, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR, UA |
| Test Reports <i>Prüfberichte</i> | supplement test: 705CL1900065_02 from 15.07.2019 (FGL) supplement test: 705TR1900099_02 from 15.07.2019 (FGL) supplement test: 3402 A6 18 from 22.05.2019 (ING) |
| Test Basis <i>Prüfgrundlagen</i> | EU/2016/426 A III B (09.03.2016) DIN EN 203-1 (01.07.2014) DIN EN 203-2/9 (01.02.2006) |


Date of Expiry / File No. 03.12.2028 / 19-0100-GER
Ablaufdatum / AZ

18.09.2019 Rie A-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 and notified by the government of the Federal Republic of Germany for certification of gas appliances under EU Regulation

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Gasgeräten gemäß EU-Verordnung EU/2016/426.




Deutsche
Akkreditierungsstelle
D-ZE-16028-01-01

DVGW CERT GmbH
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
53123 Bonn

Tel. +49 228 91 88 - 888
Fax +49 228 91 88 - 993

www.dvgw-cert.com
info@dvgw-cert.com



| Appliance Categories <i>Geräteategorien</i> | Supply Pressures <i>Versorgungsdrücke</i> | Countries of Destination <i>Bestimmungsländer</i> | Remarks <i>Bemerkungen</i> |
|--|--|--|-------------------------------------|
| I2E | 20 mbar | LU, PL | |
| I2EK | 20/25 mbar | NL | |
| I2H | 20 mbar | NO | |
| I3+ | 28-30/37 mbar | LU | |
| I3B/P | 28-30 mbar | CY, MT, NL, NO | |
| I3B/P | 37 mbar | PL | |
| II1a2H | 8, 20 mbar | CH, IT | only types with temperature control |
| II2E+3+ | 20/25, 28-30/37 mbar | BE, FR | |
| II2EK3B/P | 20/25, 30 mbar | NL | |
| II2ELL3B/P | 20, 50 mbar | DE | |
| II2ELs3B/P | 20,13, 37 mbar | PL | not for types NFT96G; MNFT96G |
| II2H3+ | 20, 28-30/37 mbar | ES, GB, GR, IE, IT, PT, SK | |
| II2H3B/P | 20, 28-30 mbar | CZ, DK, EE, FI, HR, LT, LV, RO, SE, SI, TR | |
| II2H3B/P | 20, 50 mbar | AT, CH | |
| II2HS3B/P | 25, 30 mbar | HU | |
| II2HS3B/P | 25, 50 mbar | HU | |
| III1a2H3B/P | 8, 20, 28-30 mbar | DK | only types with temperature control |
| III1ab2H3B/P | 8, 20, 28-30 mbar | SE | only types with temperature control |

| Type <i>Typ</i> | Technical Data <i>Technische Daten</i> | Remarks <i>Bemerkungen</i> |
|---------------------|---|-------------------------------|
| NFT94G, MNFT94G | nominal heat input (Hi): 7,0; 6,5 (I2K) kW | |
| NFT94GT, MNFT94GT | nominal heat input (Hi): 10,5; 10,0 (I2K); 9,0 (town gas 1a/1b) kW | |
| NFT96G, MNFT96G | nominal heat input (Hi): 11,0; 10,5 (I2K) kW | |
| NFT96GT, MNFT96GT | nominal heat input (Hi): 14,0; 13,5 (I2K) kW | |
| NFT98G, MNFT98G | nominal heat input (Hi): 14,0; 13,0 (I2K) kW | |
| NFT98GT, MNFT98GT | nominal heat input (Hi): 21,0; 20,0 (I2K); 18,0 (town gas 1a/1b) kW | |
| NFT912GT; MNFT912GT | nominal heat input (Hi): 31,5; 30,0 (I2K); 27,0 (town gas 1a/1b) kW | |

| Type Variation <i>Ausführungsvariante</i> | Explanations <i>Erläuterungen</i> |
|--|--------------------------------------|
| ...T | with temperature controller |
| M... | modular design |

Hints of Utilization /Remarks

Verwendungshinweise / Bemerkungen

Flue types: A1 (only with Q_n ≤ 14 kW); B11; B21 (only under extractions hoods with interlocking circuit)

Additionally tested appliance categories, supply pressures and countries of destination:

AL, BA, BG, MK, UA: II2H3B/P (20, 28-30 mbar)

In the NON-EU countries the CE-marking will be accepted as conformity approval if the Gas Appliance Regulation EU/2016/426 is transferred into national law by this countries.

